		Recei	ving Rep	ort		
D	ate: <u>8/11/19</u>		Batc	h No: 10	9900	
s	upplier:	<u></u>	Dart	P/O:	902	
Packing Slip: Invoice: A Receipt:	Yes No No Cash Cr	S Q	elease Note A Vaybill Attache hipment Com C6 Inspection Vork Order	plete: Y	es No	
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
		Initials	of receiver (	(if shipment	OK) Level	1200
Production/Ad Date Received/Cos Initial	08111136				Location	n

H-IEOPMS/Durchasing/approved nurch/PEOPEDOPT Day D

# Dart Aerospace Ltd

Dart Aerospace Ltd 1270 Aberdeen St Hawksbury, Ontario K6A 1K7 Phone: (613) 632-3336

Phone: Fax:

(613) 632-3336

# **Receiving Slip**

Pu	 -	·~ I	⊏	^-	

Campi Steel 935 Boul. Du Havre Valleyfield, QC J6S 5L1

### Ship To:

Main Finished Goods Location Dart Aerospace Ltd 1270 Aberdeen St Hawksbury, Ontario K6A 1K7

Reference	Description	Contact	Vendor Number	PO Number
	·	<u> </u>	VC-CAM002	PO00007509

Vendor item Number	Item Number	Description	Qty. Received	UOM	Unit Cost	Extended Cost	Arrival Date
	M6061T6R1625	6061T6 ROUND BAR 1.	24.0000	f	8.350000	200.40	Nov 26, 2008
		4115/4116 OR PER A ROUND BAR PER A MATERIAL: 6061-TO B/N109920	MS-QQ-A-225	8 OR AM	\$ 4117/4128		
	M6061T6T0500W1	6061-T6 RD Tube .500 x	12.0000	f	5.500000	66.00	Nov 26, 2008
		B/N109920					
	:		7				
	*						
	¥0						
	= 2						
			ω.	Å			
	**						
			1 4				
				<u> </u>	<u> </u>		<u> </u>

Comm	ents:
------	-------



935, boul. du Havre

Valleyfield (Québec)

TÉLÉPHONE: 450 377-4248 BFAX: 450 377-5696

ONTARIO : 1 800 667-4248 FAX : 1 866 456-4242

EXPÉDIEZ À / SHIP TO:

613-632-1053

VENDU À / SOLD TO:

613-632-5200

514 336-4246 MONTRÉAL: 514336-4248 FAX: 514 336-4246

DISTRIBUTEUR D'ACIER ET MÉTAUX SPÉCIÁLISÉS STEEL AND SPECIALTY METALS DISTRIBUTOR On a du Savoir " FER"

5003106 ŝ COMMINDE ORDER

DATE

1270 ABERDEEN STREET DART REROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY,

UNTARIO KGA 1K7

DART AEROSPACE LTD

HAWKESBURY,

ONTARIO KER 1K7

EXPEDIE PAR / SHIP VIA

VEND. / SALESM. | CODE CLIENT / CUST. CODE

VOTRE N° DE COMMANDE / YOUR P.O. N°

7509

DAER

07/11/08

ž BON DE LIVRAISON PACKING SLIP

DATE DE LIVRAISON DELIVERY DATE

REMARQUES / REMARKS

POIDS WEIGHT NET 30 JOURS

DESCRIPTION

ALUM, 6061-76 1 5/8 DIA 2 X 12

27.72

EXPÉDIE SHIPPED

COMMANDE

CODE DE PRODUIT PRODUCT CODE

6061-T6 1/2 本人

PAH FIH PRIX

24,06

12. OQ

197568

sur Facture: Commande init.

B/U

X

220

\*

PAGE Nº

OOL

MONTANT

POIDS TOTAL TOTAL WEIGHT

· PC

Pled Foot

•

. CPI Centpleds . UN Unite

Unités de mésure: CLB

SOUS-TOTAL SUB TOTAL T.P.S. G.S.T.

T.V.Q. Q.S.7.

TOTAL

AARCHANDISE:RÉCUE: EN BONNE: CONDITION MAERCHANDISE RECEIVED IN GOOD. CONDITIO

00



### **Purchase Order**

Date Nov 04, 2008 Page

Purchase Order Number PO00007509

Dart Aerospace Ltd 1270 Aberdeen St Hawksbury, Ontario K6A 1K7

Fax:

Phone: (613)632-9577 (613)632-1053

Vendor Address:

Campi Steel 935 Boul. Du Havre Valleyfield, QC J6S 5L1
Phone (800) 667-4248
Fax (450) 377-5696 Ship To:

Main Finished Goods Location Dart Aerospace Ltd 1270 Aberdeen St Hawksbury, Ontario K6A 1K7

Reference	Contact	Vendor Number	PO Date	Terms	Ship Via	Expected Arrival
		VC-CAM002	Nov 04, 2008	N30	yours	Nov 11, 2008

	Qty. Ordered	Item Number		Description		Expected Arrival	Drop- Ship	Unit Cost	UOM	Extended Price
	900.0000	M304TR1250W125 Con		RD Tube 1.25				16.550000 ROUND TUBING	f	1,655.00
è co	24.0000	M6061T6R1625	606	1T6 ROUND E	AR 1.6	11/11/2008	No	8.350000	f	200.40
`	Ve 8/u/u	7	•		1	MS-QQ-A-22 AMS-QQ-A-2	i .	AMS 4117/4128 AMS 4160		
	60.0000		606 men	1-T6 RD Tube	.500 x .	1	No	5.500000	f	330.00
	4	*;		WW-T-700	'6 OR A	S 4080 OR A				
A COMPANY OF THE PROPERTY OF T		Shill I		QQ-A-200,	3 OR QG	A-225/8				
	Comments:	ly disige	•	Tax Summ GST GSTME GSTND	ary:	. 1	09.27 0.00 0.00	Less: included tax		 0.00
	Grow	ly clonge note tem		Entered	3у:	LLACEL	LE	Subtotal Total tax		2,185.40 109.27
		(fee-		Approve	e i By:	M		Total purchase  CAD Dollars	order in	2,294.67

### ACIER CAMPI INC.

ALUMINUM ROUND BAR 6061-T6511 1,625° DIA X 144,0000° PART NO.

PO/Rel 341/148

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

-BL PEC-573983-002

Signed by:

Pg 1/1

CUSTOMÉR ORDER NO.: PEC-207235 CUSTOMER PART NO: 4-1625



# **MILL TEST REPORT**

**CUSTOMER:** 

SAMPLE (S) OF ALUMINUM		REPORT: 61062
DIE NO.  DESCRIPTION	S-6851 1.625" RD BAR	
AL ALLOY & TEMPER EXTRUDEX ORDER NO	6061/T6511 103057-2-A.11	
SPECIFICATION	ASTM B221	ochulse
SILICON % IRON % COPPER % MANGANESE % MAGNESIUM % CHROMIUM % ZINC % TITANIUM % ALUMINUM % ALLOY TYPE % ALLOY CAST NO. YIELD STREGTH (IN ksi)	0.57 0.17 0.21 0.01 0.80 0.07 0.00 <0.01 REMAINDER 6061 08064801B 42.5 46.6	ASTM 13221 ACCEPTABLE FOR 6061-76 PG8.11.26
ELONGATION % IN 2"	16.6	· .
HARDNESS (ROCKWELL 'F')	88.9 89.2 89.0	en e

(LAB TECH) DATE: MAY-24-08



# CERTIFIED TEST REPORT http://www.KaiserAluminum.com

CUSTOMER PO NUMB	ER: CUS	TOMER PART NUMBER:		PRODUCT DESCRIPTION	<b>√</b> :	
30-35954	AT	.5.12/734		Seamless Tube/Pi	ре	
KAISER ORDER HUMB	ER: LINE ITEM:	SHIP DATE:		KAISER LOT NUMBER:	ALLOY:	TEMPER:
201880	002	06/09/2008	•	F00002770	6061	T6
WEIGHT SHIPPED:	QUANTITY:	BAL NUMBER:		DIAM/DAF/THKNS:	WIDTH:	LENGTH:
672.000 LB	332.000 PCS	201118	-	_		12.000 FT
HIP TO:		,	1	SOLD TO:		
			:		74.94° - 41	
				· .		•
				1		
					•	•

### **Actual Physical Properties**

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG	Hardness	CONTIACS	BEND
F00002770	0001	1	47.0	44.2	15.5	N/A	N/A	N/A

# Chemical Composition (wt%), Aluminum Remainder

LIMITS	8i	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb_	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	· NA	NA	NA	0.05	
Minimum				0.00			0.00	0.00	NA	NA	NΑ	0.00	-
R6381	.61	.33	.22	.05		.09	.06	.04	.00	.00	.01	.01	.02
R6300	.63	.31	,21	.04	. 98	.08	`.04	.02	-00	.00	.01	.01	.02

Q. C. REVIEWED

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms acconditions of sale. Test reports are on file subject to examination.

Wilfredo A. delaCruz, Sr. Metallurgical Engineer

Plant Serial: 00002155

Kaiser Order Number: 201880

Line Item: 002

Wilfredo A. de Cong

Page 1 of 2

47

. 5.12

734



# CERTIFIED TEST REPORT http://www.KaiserAluminum.com

Applicable Requirements:

Description: OD: 0.500"; Wall: 0.120"; Round @ AMS-4082N ASTM-B210-04 WW-T-700/6F WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082N, WAS NOT OILED. THE FOLLOWING SPECIFICATION HAVE BEEN MADE INACTIVE OR CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F, WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B. COMPLIES TO DIN EN 10204 JAN 2005

Elip.

### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Q.C. REVIEWED

### CERTIFICATION

Kaiser Aluminum Fabricated Froducts, LLC ('Raiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Raiser's sales acknowledgement form. Any warranty is limited to that shown on Raiser's general terms acconditions of sale. Test reports are on file subject to examination.

Wilfredo A. delaCruz, Sr. Metallurgical Engineer

Plant Serial: 00002155

Kaiser Order Number: 201880

Line Item: 002

Wilfredo A. de Conz

Page 2 of 2

# SHANGHAI CRYSTAL PALACE PIPE CO.,LTD

ZHONG GANG, NAN HUI, SHANGHAI CHINA ZIP CODE:201302

MILL TEST CERTIFICATE

ISO9001:2000;PED CERTIFICATE (Certificate No.:QAC0021058/A)

DATE OF ISSUE: 2008/9/12

	CUSTOMER	MER:								CERTIFI	CERTIFICATE NO. :2008-6-9-A-13	2008-6-9-A	-13	
	PONO	P.O.NO.: MN5859								ORDER	ORDER NO.:2008-6-009-A	-6-000-9		:
	COMMC	COMMODITY: STAINLESS	TAINLE	STEEL	SEAMLESS	TUBING	714			GRADE	GRADE: ASTM A213-07	1	TP316/TP316L	0.000
	CONDIT	JON: CO	LD FINE	CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END	TREATE	) / PICKL	ED / PLAIN	Z END.		HEATN	HEAT NO.: YT081160	0		
1	CHEMIC	CHEMICAL CONTENTS (WT%)	TENTS	(WT%)										
	ELEMENTS	NTS		Ü	Mn		Ь	S	Si		ï	ڻ ٽ	Mo	
1	SPECIFI	SPECIFICATION		< 0.035	< 2.00		< 0.045	< 0.030	<b>1</b> >	< 1.00 10.	10.0~14.0	16.0~18.0	2.00~3.00	
	RESULI	RESULTS (PRODUCT)	(TOUX	0.023	0.81		0.040	0.003	0,	0.40	11.09	16.61	2.07	
						P	PHYSICAL PROPERTIES	L PROP	ERTIES					
	Q .	Dimensions	S			Weight	0.2%YS	TS	EL	FLARING	FLATTENING		HARDNESS	EDDY
	O.D (inch)	W.T (inch)	Length (feet)	Bundle No.	Pieces	(kg)	(Mpa) ≥205	(Mpa)  >515	(%) ≥35	TEST	TEST		08 ≽	TEST (100%)
<u> </u>	0.750	0.083	20	08-8-75	25	981	365	909	65.0	OK	OK		74	OK
Æ	1.250	0.120	20	08-8-145	25	334	320	530	65.0	0K	OK		72	ОК
<u> </u>	REMARKS: AS PER AST	RKS:	.213/ASI	REMARKS: AS PER ASTM A213/ASME SA213-07			1.WE HE TESTED	REBY CAND TH	E TEST	RESULTS	MATERIAI ARE IN CO	, DESCRIB MPLIANCI	SED HEREI E WITH TH	TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF
	WALL:	THICKNI APLIANC TTO AST	SSS TOL SE TO NA	WALL THICKNESS TOLERANCE AS PER ASTM A269-07 IN COMPLIANCE TO NACE MR0175-2002 IC TEST TO A STM A 252 DP A CTICE E	ER ASTM # 102	7569-07	THE PUI 2.THE CI THE WR	CHASE ERTIFICA ITTEN AI	OKDEK ( (TE SHA 'PROVA]	THE PURCHASE ORDEK OK CONTRACT 2.THE CERTIFICATE SHALL NOT BE REPROD THE WRITTEN APPROVAL OF THE COMPANY.	REPRODU	CED, EXC	EPT IN FUI	THE PURCHASE ORDEK OK CONTRACT 2. THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE COMPANY.
	SOLUT	TON HEA	TTREA	SOLUTION HEAT TREATMENT: 1050°C X 1.5m/min	X 1.5m/m	ij	SHANGH	AI CRYST	AL PALAC	SHANGHAI CRYSTAL PALACE PIPE CO, LTD	TD	0.0	Q.C. Reviewed	
	NO WE	SLD REP	AIR WAS	NO WELD REPAIK WAS PERFURMED FREE FROM MERCURY CONTAMINATION	NOL			: T	. 7	70	1	100	13 10/24/a8	
	COUNT	COUNTRY OF ORIGIN: CHINA MILL TEST CERTIFICATE TO E	ORIGIN: XTIFICAL	COUNTRY OF ORIGIN: CHINA MILL TEST CERTIFICATE TO EN 10204/3.1	/3.1	٠	·.	MA	NAGEN	MANAGEROF QUALITY		ANCE DEF	ASSURANCE DEPARTMENT	
	IDANI	INVOICE NOT IN-UN-UN-UN-UN-UN-UN-UN-UN-UN-UN-UN-UN-UN	N-02-05	10-										